

CERTIFICATE OF ANALYSIS

PRODUCT NAME: GELATIN POWDER FOR BACTERIOLOGY

CAS No : 9000-70-8
Date of analysis : 31/05/24
Mfd. : May 2024

Product code : 14610
Batch No : MCR-31153
Exp. : April 2029

S.R	Test	Specification	Observation
1	Description	Colourless or pale yellowish, or Yellowish brown translucent sheets, flakes or a coarse to fine powder or free flowing crystals	Yellowish brown free flowing crystals.
2	pH of 6.7% aqueous solution	5.3 – 5.9	5.58
3	Jelly strength	Passes test	Passes test
4	Bulk density	0.6 – 0.7 g/ml	0.6 g/ml
5	Loss on drying at 105°C	16% max	8.92%
6	Ash	3.3% max	2.56%
7	Lead (Pb)	0.005% max	< 0.005%
8	Sulphur dioxide	0.15% max	< 0.15%


REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]



**CHEMIST
(Asmita)**

[QC Incharge]



**HEAD-QUALITY ASSURANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.