

## CERTIFICATE OF ANALYSIS


**PRODUCT NAME : STRONTIUM NITRATE ANHYDROUS LR**

<b>CAS No</b>	: 10042-76-9	<b>Product code</b>	: 19120
<b>Mol. Formula</b>	: Sr(NO <sub>3</sub> ) <sub>2</sub>	<b>Batch No.</b>	: MCR-31215
<b>Mol. WT</b>	: 211.63	<b>Mfd.</b>	: June 2024
<b>Date of Analysis</b>	: 08/06/24	<b>Exp.</b>	: May 2029

S.R	Test	Specification	Observation
1	<b>Description</b>	White to off white powder or crystalline powder.	White crystalline powder.
2	<b>Assay (Complexometric)</b>	99% min	99.94%
3	<b>Chloride (Cl)</b>	0.005% max	<0.005%
4	<b>Sulphate(SO<sub>4</sub>)</b>	0.01% max	<0.01%
5	<b>Iron(Fe)</b>	0.001% max	<0.001%

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**



**CHEMIST  
(Asmita)**

**[QC Incharge]**



**HEAD-QUALITY ASSURANCE  
(G.G.Salian)**

**Note:** Computer generated image requires no sign.