

CERTIFICATE OF ANALYSIS

PRODUCT NAME : YEAST EXTRACT POWDER FOR BACTERIOLOGY


CAS No : 8013-01-2
Date of analysis : 08/06/24
Mfd. : June 2024

Product code : 19900
Batch No : MCR-28187-01
Exp. : May 2029

S.R	Test	Specification	Observation
1	Description	Brownish yellow powder, with characteristic odour.	Brownish yellow powder, with characteristic odour.
2	Nitrogen content (on dry basis)	10% min	10.98%
3	pH 1%w/v aqueous solution	4.5 min	6.60
4	Sulphated ash	15% max	7.81%
5	Chloride (as NaCl)	15% max	<15%
6	Loss on drying at 105°C	5% max	1.97%
7	Coagulated protein	Passes test	Passes test
8	Suitability for Bact. Test	Passes test	Passes test

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]



CHEMIST
(Swati)

[QC Incharge]



HEAD-QUALITY ASSURANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.