

CERTIFICATE OF ANALYSIS

PRODUCT NAME : XYLENE RECTIFIED (SULPHUR FREE) LR

CAS No	: 1330-20-7	Product code	: 19860
Mol. Formula	: C ₈ H ₁₀	Batch No.	: MCR-31487
Mol. WT	: 106.17	Mfd.	: July 2024
Date of analysis	: 16/07/24	Exp.	: June 2029

S.R	Test	Specification	Observation
1	Description	A clear colourless liquid.	A clear colourless liquid.
2	Assay (by GC)	97% min	99.15%
3	Solution in alcohol	Clear	Clear
4	Refractive index[n]²⁰_D	1.4950-1.4970	1.4961
5	Wt. per ml at 20°C	0.859-0.865 g	0.860g
6	Non volatile matter	0.01% max	0.001%
7	Sulfur compounds	Not detected	Not detected

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]



**CHEMIST
(Deepa)**

[QC Incharge]



**HEAD-QUALITY ASSURANCE
(G.G.Salian)**

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.