



## CERTIFICATE OF ANALYSIS

PRODUCT NAME : MOLYCLEAN MA 02 NEUTRAL

Date of analysis : 27/07/24  
Mfd. : July 2024  
Exp. : June 2029

Product code : 16383  
Batch No : MCR-31588

S.R	Test	Specification	Observation
1	Description	A clear colourless to pale yellow or opale solution.	A clear pale yellow solution.
2	pH of 5%w/v aq.solution	6 - 8	7.36
3	Wt. per ml at 20 <sup>0</sup> C	1.03 - 1.07 g	1.061g
4	Foaming volume (5%w/v water)	min 80 ml	82 ml

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

CHEMIST  
(Swati)

[QC Incharge]

HEAD-QUALITY ASSURANCE  
(G.G.Salian)

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.