

CERTIFICATE OF ANALYSIS

PRODUCT NAME : CARBON TETRACHLORIDE AR


CAS No : 56-23-5
Mol. Formula : CCl₄
Mol. WT : 153.82
Date of analysis : 03/08/24

Product code : 22530
Batch No : MCAM-0012
Mfd. : Aug. 2024
Exp. : July 2029

S.R	Test	Specification	Observation
1	Description	A clear colourless liquid with a characteristic odour. APHA not greater than 10 HU.	A clear colourless liquid with a characteristic odour. APHA less than 10 HU.
2	Assay (by GC)	99.5 % min	99.68%
3	Wt. per ml (at 20 ⁰ c)	1.592-1.595g	1.594g
4	Refractive index n _D ²⁰	1.460 – 1.461	1.461
5	Water(by KF)	0.02% max	0.01%
6	Acidity(HCl)	0.0002% max	<0.0002%
7	Non Volatile Matter	0.001% max	0.0008%
8	Ionised Chloride(Cl)	0.00006%max	<0.00006%
9	Free Chlorine(Cl)	0.0005%max	<0.0005%
10	Metallic impurities	No reaction	No reaction
11	Carbon disulphide(CS ₂)	0.0005%max	<0.0005%
12	Iodine-Reducing Substance (I)	0.0015%max	<0.0015%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]



CHEMIST
(Swati)

[QC Incharge]



HEAD-QUALITY ASSURANCE
(G.G.Salián)

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.