



CERTIFICATE OF ANALYSIS

Date: 20/08/16

PRODUCT NAME : CALAMINE

CAS No : -----
Mol. Formula : -----
Mol. WT : -----
Exp. : July 2021

Product code : 13165
Batch No : MCR-12169
Mfd. : Aug. 2016

S. R	Test	Specification	Observation
1	Assay	98.0 % min	98.10 %
2	Acid insoluble	1 % max	0.20 %
3	Arsenic(As)	0.0008% max	< 0.0008%
4	Chloride (Cl)	0.075% max	<0.075%
5	Sulphate (SO ₄)	0.6% max	<0.6%
6	Lead(Pb)	Complies	Complies
7	Calcium(Ca)	Complies	Complies
8	Barium (Ba)	Complies	Complies

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503