



## CERTIFICATE OF ANALYSIS

**PRODUCT NAME : FEHLING'S SOLUTION NO. 1**

**Date of analysis : 13/09/24**  
**Mfd. : Sept. 2024**  
**Exp. : Aug. 2027**

**Product code : 14360**  
**Batch No. : MCM-6575**

| S. R | Test                          | Specification              | Observation                |
|------|-------------------------------|----------------------------|----------------------------|
| 1    | Description                   | Clear blue colour solution | Clear blue colour solution |
| 2    | Assay (as CuSO <sub>4</sub> ) | 6.9 – 7.1%w/v              | 7.07%w/v                   |
| 3    | Sensitivity                   | Passes test                | Passes test                |

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**

**CHEMIST**  
**(Shruti)**

**[QC Incharge]**

**HEAD-QUALITY ASSURANCE**  
**(G.G.Salian)**

**MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)**

**Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)**

**Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)**

**Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.**