

CERTIFICATE OF ANALYSIS


**PRODUCT NAME : POTASSIUM THIOCYANATE AR**

<b>CAS No</b>	<b>: 333-20-0</b>	<b>Product code</b>	<b>: 25170</b>
<b>Mol. Formula</b>	<b>: KSCN</b>	<b>Batch No.</b>	<b>: MCAR-00597</b>
<b>Mol. WT</b>	<b>: 97.18</b>	<b>Mfd.</b>	<b>: Sept. 2024</b>
<b>Date of analysis</b>	<b>: 19/09/24</b>	<b>Exp.</b>	<b>: Aug. 2029</b>

S.R	Test	Specification	Observation
1	<b>Description</b>	Colourless , white deliquescent crystals or crystalline powder.	White crystalline powder
2	<b>Assay (by argentometry)</b>	99% w/w min	99.22% w/w
3	<b>Water insoluble matter</b>	0.003% max	0.002%
4	<b>Acidity</b>	0.05 ml N/1% max	<0.05 ml N/1%
5	<b>Alkalinity</b>	0.05 ml N/1% max	<0.05 ml N/1%
6	<b>Chloride (Cl)</b>	0.005% max	<0.005%
7	<b>Sulphate (SO<sub>4</sub>)</b>	0.005% max	<0.005%
8	<b>Sulphide (S)</b>	0.001% max	<0.001%
9	<b>Ammonium (NH<sub>4</sub>)</b>	0.002% max	<0.002%
10	<b>Lead (Pb)</b>	0.0002% max	<0.0002%
11	<b>Iron (Fe)</b>	0.0001% max	<0.0001%
12	<b>Copper (Cu)</b>	0.0002% max	<0.0002%
13	<b>Sodium (Na)</b>	0.02% max	<0.02%
14	<b>Iodine consuming substances</b>	0.013% max	<0.013%

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**



**CHEMIST  
(Swati)**

**[QC Incharge]**



**HEAD-QUALITY ASSURANCE  
(G.G.Salian)**

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.