

CERTIFICATE OF ANALYSIS

PRODUCT NAME : CHLOROFORM AR


CAS No : 67-66-3
Mol. Formula : CHCl₃
Mol. WT : 119.38
Date of analysis : 21/09/24

Product code : 22620
Batch No : MCAR-00604
Mfd. : Sept. 2024
Exp. : Aug. 2029

S.R	Test	Specification	Observation
1	Description	A clear, colourless liquid, with characteristic odor, APHA not greater than 10 HU.	A clear, colourless liquid, with characteristic odor, APHA less than 10 HU.
2	Assay (GC)	99.8 % min	99.94%
3	Wt. per ml (at 20^oc)	1.474-1.479g	1.478g
4	Refractive index	1.444 – 1.445	1.444
5	Water	0.05% max	0.008%
6	Acidity (HCl)	0.0005% max	< 0.0005%
7	Non Volatile Matter	0.0005% max	0.0004%
8	Ionized chloride(Cl)	0.00002% max	<0.00002%
9	Free chlorine(Cl)	0.0005% max	< 0.0005%
10	Metallic impurities	No reaction	No reaction
11	Aldehydes & Ketones (CH₃CHO)	0.005% max	< 0.005%
12	Organic impurities	Passes Test	Passes Test

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]



**CHEMIST
(Jyoti)**

[QC Incharge]



**HEAD-QUALITY ASSURANCE
(G.G.Salian)**

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.