

## CERTIFICATE OF ANALYSIS

**PRODUCT NAME : SILICON ANTIFOAMING AGENT 30%**  
**(Non Ionic)**


**Product code : 17935**  
**Date of analysis : 13/11/24**

**Batch No. : MCR-32380**  
**Mfd. : Nov. 2024**  
**Exp. : Oct. 2029**

S. R	Test	Specification	Observation
1	Appearance	Milky Emulsion	Milky Emulsion
2	% Solid	30% ± 1	30%
3	pH	4 - 7.5	4.51
4	Specific gravity	1.0	1.0
5	Suitable Diluent	Soft water	Passes test
6	Defoaming time	5 Seconds	Passes test
7	Diclofumation	Non-Ionic	Passes test

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**



**CHEMIST**  
**(Deepa)**

**[QC Incharge]**



**HEAD-QUALITY ASSURANCE**  
**(G.G.Salian)**

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.