



CERTIFICATE OF ANALYSIS

PRODUCT NAME : CHLOROBENZENE

CAS No : 108-90-7
Mol. Formula : C₆H₅Cl
Mol. WT : 112.56
Date of analysis : 25/12/24

Product code : 13590
Batch No : MCR-32729
Mfd. : Dec. 2024
Exp. : Nov. 2029

S.R	Test	Specification	Observation
1	Description	Clear colourless liquid. APHA not greater than 10 HU	Clear colourless liquid. APHA less than 10 HU
2	Assay (GC)	99.0% min	99.86%
3	Wt. per ml at 20°C	1.105-1.107 g	1.106 g

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

**CHEMIST
(Deepa)**

[QC Incharge]

**HEAD-QUALITY ASSURANCE
(G.G.Salian)**

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015•ISO 14001: 2015•BS OHSAS 18001: 2007•WHO-GMP Certified•NSIC Registered•MSME Registered•CAA Registered