

CERTIFICATE OF ANALYSIS

PRODUCT NAME : HEMATOXYLIN STAIN CERTIFIED FOR MICROSCOPY


CAS No : 517- 28- 2
Mol. Formula : C₁₆H₁₄O₆
Mol. WT : 302.3
Date of Analysis : 27/12/24

Product code : 31840
Batch No : MCR-32777
Mfd. : Dec. 2024
Exp. : Nov. 2029

S.R	Test	Specification	Observation
1	Description	Yellow or beige or cream or brown colour powder.	Beige colour powder
2	pH of 1% soln	5 – 7	5.34
3	Absorptivity A1%/1cm max in methanol (on dry basis)	140 - 170	140.94
4	Moisture by K.F	10% max.	5.86
5	Suitability for use as stain	Passes test	Passes test

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]



**CHEMIST
(Sonu)**

[QC Incharge]



**HEAD-QUALITY ASSURANCE
(G.G.Salián)**

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.