

CERTIFICATE OF ANALYSIS

PRODUCT NAME : CHLOROFORM LR

CAS No	: 67-66-3	Product code	: 13620
Mol. Formula	: CHCl ₃	Batch No	: MCR-32837
Mol. WT	: 119.38	Mfd.	: Jan. 2025
Date of analysis	: 04/01/25	Exp.	: Dec. 2029

S.R	Test	Specification	Observation
1	Description	A clear colourless liquid with a characteristic odour. APHA not greater than 10 HU.	A clear colourless liquid with a characteristic odour. APHA less than 10 HU.
2	Assay (GC)	99.5 % min	99.94%
3	Wt.per ml (at 20 ⁰ c)	1.474-1.480 g	1.476 g
4	Acidity	0.1 ml N/1 % max	< 0.1 ml N/1 %
5	Water	0.1% max	0.009%
6	Non Volatile matter	0.002 % max	0.0003%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]



**CHEMIST
(Deepa)**

[QC Incharge]



**HEAD-QUALITY ASSURANCE
(G.G.Salian)**

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.