



CERTIFICATE OF ANALYSIS

PRODUCT NAME : E.D.T.A. DISODIUM SALT N/10 SOLUTION

Date of Analysis : 27/12/24
Mfd. : Dec. 2024
Exp. : June 2027

Product code : 14341
Batch No. : MCM-6883

S.R	Test	Specification	Observation
1	Description	Clear colourless solution.	Clear colourless solution.
2	Normality	0.1N \pm 0.0005	0.1000N

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

**CHEMIST
(Jyoti)**

[QC Incharge]

**HEAD-QUALITY ASSURANCE
(G.G.Salian)**

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.