

## CERTIFICATE OF ANALYSIS

**PRODUCT NAME : FEHLING'S SOLUTION NO. 1**


**Date of analysis : 18/01/25**  
**Mfd. : Jan. 2025**  
**Exp. : Dec. 2027**

**Product code : 14360**  
**Batch No : MCM-6939**

| S.R | Test                               | Specification              | Observation                |
|-----|------------------------------------|----------------------------|----------------------------|
| 1   | <b>Description</b>                 | Clear blue colour solution | Clear blue colour solution |
| 2   | <b>Assay (as CuSO<sub>4</sub>)</b> | 6.9 – 7.1%w/v              | 6.90%w/v                   |
| 3   | <b>Sensitivity</b>                 | Passes test                | Passes test                |

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**



**CHEMIST  
(Ruchi)**



**[QC Incharge]**



**HEAD-QUALITY ASSURANCE  
(G.G.Salian)**

**MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)**

**Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)**

**Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)**

**Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.**