



CERTIFICATE OF ANALYSIS

PRODUCT NAME : WATER FOR HPLC & SPECTROSCOPY
(Filtered Through 0.2 μ Filter)

CAS No : 7732-18-5
Mol. Formula : H₂O
Mol. WT : 18
Date of analysis : 25/01/25

Product code : 32230
Batch No : MCM-6989
Mfd. : Jan. 2025
Exp. : Dec. 2027

S. R	Test	Specification	Observation
[1]	Description	Clear colourless liquid	Clear colourless liquid
2	pH	5 - 7	6.84
3	Residue on evaporation	0.0003% max	0.0002%
4	Transmission (1 cm cell vs Air)	200nm - 100% min 250nm - 100% min	108.42% 111.31%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

**CHEMIST
(Ruchi)**



[QC Incharge]

**HEAD-QUALITY ASSURANCE
(G.G.Salian)**

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015•ISO 14001: 2015•BS OHSAS 18001: 2007•WHO-GMP Certified•NSIC Registered•MSME Registered•CAA Registered