

CERTIFICATE OF ANALYSIS

PRODUCT NAME : BUFFER SOLUTION PH 9.0 (BORATE)

Date of analysis : 01/02/25
Mfd. : Feb. 2025
Exp. : Jan. 2026

Product code : 31390C
Batch No : MCM-7015

S.R	Test	Specification	Observation
1	Description	Clear colourless solution.	Clear colourless solution.
2	pH of solution (20°C)	9.00 ± 0.02	9.01

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]



**CHEMIST
(Sayli)**



[QC Incharge]



**HEAD-QUALITY ASSURANCE
(G.G.Salián)**

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.