

CERTIFICATE OF ANALYSIS

PRODUCT NAME : D.P.X. MOUNTANT FOR MICROSCOPY

CAS No : 130-12-2
Date of analysis : 04/02/25
Mfd. : Feb. 2025

Product code : 23140
Batch No : MCM-7018
Exp. : Jan. 2028

S.R	Test	Specification	Observation
1	Description	A clear colourless viscous liquid	A clear colourless viscous liquid
2	Refractive index (n)²⁰_D	1.515 - 1.525	1.519
3	Acidity	0.05 ml N/1% max.	<0.05 ml N/1%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]



**CHEMIST
(Sayli)**



[QC Incharge]



**HEAD-QUALITY ASSURANCE
(G.G.Sali)**

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.