

CERTIFICATE OF ANALYSIS

PRODUCT NAME : PHLOROGLUCINOL AR

CAS No	: 108-73-6	Product code	: 53600
Mol. Formula	: C ₆ H ₆ O ₃	Batch No	: MCR-33145
Mol. WT	: 126.11	Mfd.	: Feb. 2025
Date of analysis	: 08/02/25	Exp.	: Jan. 2030

S.R	Test	Specification	Observation
1	Description	White to almost white or yellowish white or cream or beige colour powder.	Yellowish white powder.
2	Assay (Dried basis)	99 % w/w min	99.91% w/w
3	Melting Point	215-220 ⁰ C	219.5 ⁰ C
4	Diresorcine	passes test	passes test
5	Sulphated ash	0.1% max	0.07%
6	Loss on drying	1.0% max	0.29%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]



**CHEMIST
(Durvas)**



[QC Incharge]



**HEAD-QUALITY ASSURANCE
(G.G.Salian)**

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.