

## CERTIFICATE OF ANALYSIS

**PRODUCT NAME : NINHYDRIN SOLUTION FOR TLC SPRAY**

**Date of analysis : 12/02/25**  
**Mfd. : Feb. 2025**  
**Exp. : Jan. 2028**

**Product code : 24401**  
**Batch No. : MCM-7056**

S. R	Test	Specification	Observation
1	<b>Description</b>	Clear colourless to pale yellow to faint green or blue solution	Pale yellow solution
2	<b>Suitability</b>	passes test	passes test
3	<b>Suitable for use in thin layer chromatograph</b>	passes test	passes test

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**



**CHEMIST  
(Sayli)**



**[QC Incharge]**



**HEAD-QUALITY ASSURANCE  
(G.G.Salian)**

**MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)**

**Tel. : +91 22 4066 8111 • Email: [info@molychem.net](mailto:info@molychem.net) • Web: [www.molychem.net](http://www.molychem.net)**

**Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)**

**Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.**