

CERTIFICATE OF ANALYSIS

PRODUCT NAME : MOLYCLEAN MA 01 ALKALINE


Date of analysis : 24/09/24
Mfd. : Sep. 2024
Exp. : Aug. 2029

Product code : 16382
Batch No : MCR-26025-02

S. R	Test	Specification	Observation
1	Description	A clear colourless to pale yellow or opale solution	A colourless opale solution
2	pH of 5%w/v aq.solution	11-12	11.39
3	Wt. per ml at 20°C	1.065 – 1.075 g	1.070g
4	Foaming volume(5%w/v water)	min 70 ml	75 ml

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]



**CHEMIST
(Ruchi)**



[QC Incharge]



**HEAD-QUALITY ASSURANCE
(G.G.Salian)**

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.