

CERTIFICATE OF ANALYSIS

PRODUCT NAME : SODIUM SILICATE SOLUTION

CAS No : 1344-09-8
Date of analysis : 27/03/25
Mfd. : March 2025

Product code : 18781
Batch No : MCR-33559
Exp. : Feb. 2030

S.R	Test	Specification	Observation
1	Description	Almost colourless, slightly opaque viscous, tacky liquid.	Almost colourless, slightly opaque viscous, tacky liquid.
2	Assay (as Na₂O)	7.5 – 10%	9.07%
3	Assay (as SiO₂)	25 – 28%	27.07%
4	Wt. per ml at 20⁰C	1.296 – 1.396g	1.385 g

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]



**CHEMIST
(Sayli)**



[QC Incharge]



**HEAD-QUALITY ASSURANCE
(G.G.Salian)**

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaoon, Badlapur (E), Dist.-Thane-421 503.