

CERTIFICATE OF ANALYSIS

PRODUCT NAME : BALSAM CANADA (SYNTHETIC)

CAS No : 8007-47-4

Date of analysis : 03/05/25

Mfd. : May 2025

Product code : 12490


Batch No. : MCR-33895

Exp. : April 2030

S.R	Test	Specification	Observation
1	Description	Clear colourless liquid	Clear colourless liquid
2	Refractive index (at 15°C)	1.525 - 1.535	1.529
3	Natural drying time (at 60-80°C)	2 - 3 days	3 days
4	Oven drying time (at 60-80°C)	1 hour	1 hour

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]



**CHEMIST
(Deepa)**



[QC Incharge]



**HEAD-QUALITY ASSURANCE
(G.G.Salian)**

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.