

CERTIFICATE OF ANALYSIS

PRODUCT NAME : CHLOROBENZENE

CAS No : 108-90-7
Mol. Formula : C₆H₅Cl
Mol. WT : 112.56
Date of analysis : 21/05/25

Product code : 13590
Batch No : MCR-32729-01
Mfd. : May 2025
Exp. : April 2030

S.R	Test	Specification	Observation
1	Description	Clear colourless liquid. APHA not greater than 10 HU	Clear colourless liquid. APHA less than 10 HU
2	Assay (GC)	99.0% min	99.85%
3	Wt. per ml at 20°C	1.105-1.107 g	1.106 g

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]



**CHEMIST
(Sayli)**



[QC Incharge]



**HEAD-QUALITY ASSURANCE
(G.G.Salian)**

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.