

CERTIFICATE OF ANALYSIS

PRODUCT NAME : meta-PHOSPHORIC ACID (GLACIAL STICKS) LR

CAS No : 37267-86-0

Product code : 16840

Date of analysis : 23/05/25

Batch No. : MCR-34068


Mfd. : May 2025

Exp. : April 2030

S.R	Test	Specification	Observation
1	Description	Colourless hygroscopic stick.	Colourless hygroscopic stick.
2	HPO₃	56 - 60 %	56.84%
3	NaPO₃	40 - 44 %	40.43%
4	Chloride(Cl)	0.005 % max	< 0.005 %
5	Sulphate(SO₄)	0.02 % max	< 0.02 %
6	Iron(Fe)	0.002% max	< 0.002 %
7	Lead (Pb)	0.002% max	< 0.002 %

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]



**CHEMIST
(Pratiksha. S)**



[QC Incharge]



**HEAD-QUALITY ASSURANCE
(G.G.Salián)**

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.