

CERTIFICATE OF ANALYSIS

PRODUCT NAME : XYLENE AR

CAS No : 1330-20-7
Mol. Formula : C₈H₁₀
Mol. WT : 106.17
Date of analysis : 03/06/25

Product code : 26840
Batch No. : MCAR-01672
Mfd. : June 2025
Exp. : May 2030

S.R	Test	Specification	Observation
1	Description	A clear colourless liquid.	A clear colourless liquid.
2	Assay (by G.C.)	99% min	99.12%
3	Wt. per ml at 20^oC	0.863-0.866g	0.863g
4	Water	0.03% max	0.02%
5	Acidity	0.012 ml N% max	<0.012 ml N%
6	Alkalinity	0.012 ml N% max	<0.012 ml N%
7	Non-volatile matter	0.002% max	0.001%
8	Benzene and toluene	0.5% max	<0.5%
9	Copper (Cu)	0.00005% max	<0.00005%
10	Iron (Fe)	0.0001% max	<0.0001%
11	Lead (Pb)	0.00005% max	<0.00005%
12	Organic impurities	Passes acid wash test	Passes acid wash test
13	Sulphur compounds (CS₂)	0.0003% max	<0.0003 %
14	Thiophen homologues (C₄H₄S)	0.0002% max	<0.0002 %

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]



**CHEMIST
(Deepa)**



[QC Incharge]



**HEAD-QUALITY ASSURANCE
(G.G.Salian)**

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.