

CERTIFICATE OF ANALYSIS

PRODUCT NAME : O-TOLIDINE (REAGENT) FOR CHLORINE ESTIMATION


CAS No. : 119-93-7
Date of analysis : 10/06/25
Mfd. : June 2025

Product code : 19590
Batch No. : MCM-7389
Exp. : May 2028

S.R	Test	Specification	Observation
1	Description	Almost colourless to pale yellow or pale pink to pinkish brown colour solution.	Pinkish brown colour solution.
2	Suitability test for chlorine	Passes test	Passes test

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]



**CHEMIST
(Jyoti)**



[QC Incharge]



**HEAD-QUALITY ASSURANCE
(G.G.Salian)**

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.