

CERTIFICATE OF ANALYSIS


PRODUCT NAME : UREA GRANULAR LR

CAS No	: 57-13-6	Product code	: 19810
Mol. Formula	: NH ₂ .CO.NH ₂	Batch No.	: MCR-34420
Mol. WT	: 60.06	Mfd.	: July 2025
Date of analysis	: 05/07/25	Exp.	: June 2030

S.R	Test	Specification	Observation
1	Description	White granules.	White granules.
2	Assay	99% min	99.31%
3	Melting point	131-134 ⁰ C	132.4 ⁰ C
4	Sulphated ash	0.1% max	0.08%
5	Chloride (Cl)	0.002% max	<0.002%
6	Sulphate(SO₄)	0.05% max	<0.05%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]



**CHEMIST
(Priti)**



[QC Incharge]



**HEAD-QUALITY ASSURANCE
(G.G.Salian)**

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.