

CERTIFICATE OF ANALYSIS

PRODUCT NAME : CHLORAMINE T 99% AR

CAS No	: 7080-50-4	Product code	: 22600
Mol. Formula	: C ₇ H ₇ CINNaO ₂ S.3H ₂ O	Batch No	: MCAR-01829
Mol. WT	: 281.69	Mfd.	: July 2025
Date of analysis	: 10/07/25	Exp.	: June 2030


S.R	Test	Specification	Observation
1	Description	White to off white powder or crystalline powder.	White crystalline powder.
2	Assay	99% min	99.89%
3	pH (5% aq.solution)	8 - 10	9.74
4	Substances insoluble in absolute ethanol	1.5% max	1.1%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]



**CHEMIST
(Akash)**



[QC Incharge]



**HEAD-QUALITY ASSURANCE
(G.G.Salian)**

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.