

CERTIFICATE OF ANALYSIS

PRODUCT NAME : PYRIDINE LR

CAS No	: 110-86-1	Product code	: 17615
Mol. Formula	: C ₅ H ₅ N	Batch No.	: MCR-34175
Mol. WT	: 79.10	Mfd.	: June 2025
Date of analysis	: 09/06/25	Exp.	: May 2030

S.R	Test	Specification	Observation
1	Description	A clear colourless to very faint yellow liquid with characteristic odour, APHA not more than 50 Hazen.	A clear colourless liquid with characteristic odour, APHA less than 50 Hazen.
2	Assay (GC)	98 % min.	99.98%
3	Wt. per ml at 20°C	0.980 – 0.983 g	0.982 g
4	Non-volatile matter	0.02 % max	0.0008%
5	Water	0.2 % max	0.09%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]



**CHEMIST
(Deepa)**



[QC Incharge]



**HEAD-QUALITY ASSURANCE
(G.G.Salian)**

MOLYCHEM H.Q. : Maker Tower 'E', 41-A2, 4th Floor, Above Maker Arcade, Cuffe Parade, Mumbai 400 005 (INDIA)

Tel. : +91 22 4066 8111 • Email: info@molychem.net • Web: www.molychem.net

Reg. Office : 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai - 400 002 (INDIA)

Works : Unit I - Plot No. B/9, Unit II - Plot No. B/11, Badlapur M.I.D.C., Opp. Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503.

•ISO 9001:2015•ISO 14001: 2015•BS OHSAS 18001: 2007•WHO-GMP Certified•NSIC Registered•MSME Registered•CAA Registered