



CERTIFICATE OF ANALYSIS

Date: 20/02/17

PRODUCT NAME : TRYPSIN U/G 2000

CAS No : 9002-07-7
Mfd. : Feb. 2017
Exp. : Jan. 2022

Product code : 19640
Batch No : MCR-13230

S. R	Test	Specification	Observation
1	Solubility in water	min 98.0%	> 98.0%
2	Loss on drying	max 5.0%	3.35 %
3	Pathogenic germs	Absent	Absent
4	Salmonella	Absent	Absent
5	Escherichia	Absent	Absent
6	Pseudomonas aeruginosa	Absent	Absent
7	Staphylococcus aureus	Absent	Absent

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503