



CERTIFICATE OF ANALYSIS

Date: 18/04/17

PRODUCT NAME: DIPHENYLAMINE

CAS No : 122- 39- 4
Mol. Formula : $C_{12}H_{11}N$
Mol. WT : 169.23
Exp. : March 2022

Product code : 14260
Batch No : MCR-13587
Mfd. : April 2017

S. R	Test	Specification	Observation
1	Assay (G.C)	98 % min	100%
2	Melting Point	52 - 55°C	53.2 ⁰ C
3	Nitrate	No reaction	No reaction
4	Sensitivity to nitrate (NO ₃)	1 in 1.6 x 10 ⁻⁶ min	> 1 in 1.6 x 10 ⁻⁶

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[Q.C Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . **Fax:** + 91 22 2203 4442. **Email :** info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503