



CERTIFICATE OF ANALYSIS

Date: 02/05/17

PRODUCT NAME : CHLOROFORM

CAS No	: 67-66-3	Product code	: 13620
Mol. Formula	: CHCl₃	Batch No	: MCR-13680
Mol. WT	: 119.38	Mfd.	: May 2017
Exp.	: April 2022		

S. R	Test	Specification	Observation
1	Assay (GC)	99.5 % min	99.76%
2	Wt.per ml (at 20 ⁰ c)	1.474-1.480 g	1.476 g
3	Water(by KF)	0.1% max	0.01%
4	Acidity	0.1 ml N/1 % max	< 0.1 ml N/1 %
5	Non Volatile matter	0.002 % max	0.0005%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

**HEAD-QUALITY ASSUARANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503**