



CERTIFICATE OF ANALYSIS

Date: 04/06/17

PRODUCT NAME : P-NITROPHENOL INDICATOR GR

CAS No : 100-02-7
Mol. Formula : $C_6H_5NO_3$
Mol. WT : 139.11
Exp. : May 2022

Product code : 32048
Batch No : MCR-13855
Mfd. : June 2017

S.R	Test	Specification	Observation
1	Transition range from pH 5.4 – 7.5	Colourless to Yellow	Colourless to Yellow
2	Melting point	110 - 114°C	113.7°C
3	Absorption maxima : buffer pH 5.4	316 - 320 nm	317.90 nm
4	Absorption maxima : buffer pH 7.5	398 - 402 nm	401.1nm

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503