



CERTIFICATE OF ANALYSIS

Date: 17/06/17

PRODUCT NAME : DITHIZONE

CAS No : 60-10-6
Mol. Formula : $C_{13}H_{12}N_4S$
Mol. WT : 256.32
Exp. : May 2022

Product code : 14300
Batch No : MCR-13916
Mfd. : June 2017

S. R	Test	Specification	Observation
1	Assay	85% min	85.37%
2	λ Max.(absorb. in CCl_4)	618 – 621 nm	620 nm
3	A1%,1 cm λ max	1150 min	1156.75
4	Ratio of absorbance	1.55 min	1.95

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . **Fax:** + 91 22 2203 4442. **Email :** info@molychem.net
Works: Plot No.B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503