



CERTIFICATE OF ANALYSIS

Date: 18/07/17

PRODUCT NAME : HYDROCHLORIC LR

CAS No : 7647-01-0
Mol. Formula : HCl
Mol. WT : 36.46
Exp. : June 2022

Product code : 14860
Batch No : MCR-14007
Mfd. : July 2017

S.R	Test	Specification	Observation
1	Assay (acidimetric)	35 - 37 % w/w	35.47% w/w
2	Wt. per ml at 20°C	about 1.18g	1.18g
3	Non volatile matter	0.01% max	0.004%
4	Free Chlorine (Cl)	0.0005% max	< 0.0005%
5	Sulphuric Acid (H ₂ SO ₄)	0.02% max	< 0.02%
6	Iron (Fe)	0.0005% max	< 0.0005 %
7	Lead (Pb)	0.0005% max	< 0.0005 %

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C., OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503