

CERTIFICATE OF ANALYSIS

Date: 25/07/17

PRODUCT NAME : YEAST EXTRACT POWDER FOR BACTERIOLOGY

CAS No	: 8013-01-2	Product code	: 19900
Mfd.	: July 2017	Batch No	: MCR-14041
Exp.	: June 2022		

S.	Test	Specification	Observation
R			
1	Nitrogen content (on dry	10% min	10.18%
	basis)		
2	pH 1%w/v aqueous	4.5 min	6.32
	solution		
3	Sulphated ash	15% max	11%
4	Chloride (as NaCl)	15% max	<15%
5	Loss on drying at 105°C	5% max	0.9%
6	Coagulated protein	Passes test	Passes test
7	Suitability for Bact. Test	Passes test	Passes test

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE (G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA) Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : <u>info@molychem.net</u> Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co., Kulgaon, Badlapur (E), Dist.-Thane-421 503