



## CERTIFICATE OF ANALYSIS

Date: 17/08/17

PRODUCT NAME : IODINE (RESUBLIMED) LR

CAS No : 7553-56-2  
Mol. Formula : I<sub>2</sub>  
Mol. WT : 253.81  
Exp. : July 2022

Product code : 15080  
Batch No : MCR-14160  
Mfd. : Aug. 2017

S. R	Test	Specification	Observation
1	Assay (by Iodometry)	99.5% min	99.53%
2	Chlorine and bromine (as Cl)	0.01% max	<0.01%
3	Non volatile substances	0.05% max	0.01%

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE  
(G.G.Salian)

**Note:** Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)  
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)  
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503