CERTIFICATE OF ANALYSIS

Date: 23/08/17

PRODUCT NAME : THIOMERSAL

CAS No : 54- 64- 8
Mol. Formula : $C_2H_5.Hg.S.C_6H_4.COONa$
Mol. WT : 404.81
Exp. : July 2022

Product code : 19460
Batch No : MCR-14185
Mfd. : Aug. 2017

S. R	Test	Specification	Observation
1	**Assay (ex mercury)**	97 - 101%	97.52%
2	**Hg content**	about 60.8%	60.86%
3	**pH**	about 6.8	6.85
4	**Loss on drying**	0.3% max.	0.20%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503