



CERTIFICATE OF ANALYSIS

Date: 30/07/17

PRODUCT NAME : XYLENE LR

CAS No : 1330-20-7
Mol. Formula : C₈H₁₀
Mol. WT : 106.17
Exp. : June 2022

Product code : 19860
Batch No : MCR-14067
Mfd. : July 2017

S. R	Test	Specification	Observation
1	Assay (by G.C.)	97% min	98.75%
2	Solution in alcohol	Clear	Clear
3	Refractive index[n] ²⁰ _D	1.4950-1.4970	1.4956
4	Wt. per ml at 20 ⁰ C	0.859-0.865 g	0.860 g
5	Non volatile matter	0.01% max	0.004%
6	Sulfur compounds	Not detected	Not detected

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503