



CERTIFICATE OF ANALYSIS

Date: 30/06/17

PRODUCT NAME : ESCHKA'S MIXTURE GR

CAS No : 8007-09-8
Mfd. : June 2017
Exp. : May 2022

Product code : 23160
Batch No : MCR-13961

S. R	Test	Specification	Observation
1	Assay (complexometric, Mg)	38 – 42 %	38.60%
2	HCl insoluble matter	0.005% max	0.002%
3	Chloride (Cl)	0.01% max	<0.01%
4	Sulphate & Sulphite (SO ₄)	0.005% max	< 0.005%
5	Loss on drying (105°C)	0.5% max	0.2%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503