



CERTIFICATE OF ANALYSIS

Date: 17/08/17

**PRODUCT NAME : CELLULOSE POWDER
FOR COLUMN CHROMATOGRAPHY**

CAS No : 9013-34
Mol. Formula : (C₆H₁₀O₅)_n
Mfd. : Aug. 2017

Product code : 13520
Batch No : MCR-14159
Exp. : July 2022

S. R	Test	Specification	Observation
1	Assay	97.0 – 102.0%	99.31%
2	pH of 10% suspension (in carbon dioxide free water)	5.0 – 7.5	6.11
3	Loss on drying at 105°C	7% max	4.68%
4	Residue on ignition	0.3% max	0.06%
5	Water Soluble substances	1.5%	0.37%
6	Starch	Passes test	Passes test
7	Copper (Cu)	0.001% max	<0.001%
8	Iron (Fe)	0.002% max	<0.002%
9	Lead (Pb)	0.001% max	<0.001%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

**HEAD-QUALITY ASSUARANCE
(G.G.Salian)**

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503**