



CERTIFICATE OF ANALYSIS

Date: 01/10/17

PRODUCT NAME : FLUORESCEIN

CAS No : 2321-07-5
Mol. Formula : C₂₀H₁₂O₅
Mol. WT : 332.31
Exp. : Sept. 2022

Product code : 31730
Batch No : MCR-14441
Mfd. : Oct. 2017

S. R	Test	Specification	Observation
1	Assay (on dried substance)	98% min	98.2%
2	Loss on drying (105°C)	1 % max	0.7%
3	Absorptivity, 1%/1cm, at λ max 490 nm (in 0.1 N NaOH)	2200 - 2500	2487.33

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503