



CERTIFICATE OF ANALYSIS

Date: 28/09/17

PRODUCT NAME : TRICHLOROETHYLENE LR 99%

CAS No : 79-01-6 Product code : 19605
Mol. Formula : CHCl:CCl₂ Batch No. : MCR-14425
Mol. WT : 131.39 Mfd. : Sept. 2017
Exp. : Aug. 2022

S. R	Test	Specification	Observation
1	Assay (GC)	99 % min	99.85%
2	Wt. per ml (at 20 ⁰ c)	1.462-1.466g	1.466g
3	Acidity	0.2 ml N/1% max	< 0.2 ml N/1%
4	Non volatile matter	0.004% max	0.001%
5	Free chlorine(Cl)	0.001% max	< 0.001%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503