



CERTIFICATE OF ANALYSIS

Date: 09/10/17

PRODUCT NAME : CHLOROFORM

CAS No : 67-66-3
Mol. Formula : CHCl_3
Mol. WT : 119.38
Exp. : Sept. 2022

Product code : 13620
Batch No : MCR-14510
Mfd. : Oct. 2017

S. R	Test	Specification	Observation
1	Assay (GC)	99.5 % min	99.90%
2	Wt.per ml (at 20 ⁰ c)	1.474-1.480 g	1.479 g
3	Water(by KF)	0.1% max	0.01%
4	Acidity	0.1 ml N/1 % max	< 0.1 ml N/1 %
5	Non Volatile matter	0.002 % max	0.0004%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . **Fax:** + 91 22 2203 4442. **Email :** info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503