



CERTIFICATE OF ANALYSIS

Date: 28/10/17

PRODUCT NAME : CITRIC ACID ANHYDROUS LR

CAS No	: 77-92-9	Product code	: 13680
Mol. Formula	: C₆H₈O₇	Batch No	: MCR-14618
Mol. WT	: 192.13	Mfd.	: Oct. 2017
Exp.	: Sept. 2022		

S.R	Test	Specification	Observation
1	Assay	99.5 % w/w min	99.82% w/w
2	Sulphated ash	0.02% max	0.009%
3	Iron (Fe)	0.0005% max	< 0.0005%
4	Lead(Pb)	0.0005% max	< 0.0005%
5	Chloride (Cl)	0.01% max	< 0.01%
6	Oxalate (C ₂ O ₄)	0.02% max	< 0.02%
7	Sulphate (SO ₄)	0.01% max	< 0.01%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503