



## CERTIFICATE OF ANALYSIS

Date: 12/11/17

**PRODUCT NAME : UREA LR**

**CAS No : 57-13-6**  
**Mol. Formula : NH<sub>2</sub>.CO.NH<sub>2</sub>**  
**Mol. WT : 60.06**  
**Exp. : Oct. 2022**

**Product code : 19800**  
**Batch No : MCR-14735**  
**Mfd. : Nov. 2017**

S. R	Test	Specification	Observation
1	Assay	99% min	99.38%
2	Melting point	131-134 °C	133 °C
3	Sulphated ash	0.1% max	0.04%
4	Chloride (Cl)	0.002% max	<0.002%
5	Sulphate(SO <sub>4</sub> )	0.05% max	<0.05%

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[QC Incharge]

HEAD-QUALITY ASSUARANCE  
(G.G.Salian)

**Note:** Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**  
**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**  
**Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,  
Kulgaon, Badlapur (E), Dist.-Thane-421 503**