



CERTIFICATE OF ANALYSIS

Date: 06/11/17

PRODUCT NAME : SODIUM SELENATE ANHYDROUS AR

CAS No : 13410- 01- 0 Product code : 26080
Mol. Formula : Na₂SeO₄ Batch No : MCR-14682
Mol. WT : 189.09 Mfd. : Nov. 2017
Exp. : Oct. 2022

S. R	Test	Specification	Observation
1	Assay	99.0% w/w min	99.10% w/w
2	pH (5% Solution)	6.0 - 8.0	7.53
3	Water - insoluble matter	0.003% max	0.0008%
4	Chloride (Cl)	0.0005% max	< 0.0005%
5	Nitrogen compounds(N)	0.001% max	<0.001%
6	Selenite (SeO ₃)	0.1% max	< 0.1%
7	Sulphate (SO ₄)	0.02% max	< 0.02%

REMARK: THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

[Tested By]

[Q.C Incharge]

HEAD-QUALITY ASSUARANCE
(G.G.Salian)

Note: Computer generated image requires no sign.

MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2nd Floor, Mumbai – 400 002 (INDIA)
Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : info@molychem.net
Works: Plot No. B/9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,
Kulgaon, Badlapur (E), Dist.-Thane-421 503