



## CERTIFICATE OF ANALYSIS

**PRODUCT NAME : SODIUM SELENATE ANHYDROUS GR**

**CAS No : 13410- 01- 0**  
**Mol. Formula : Na<sub>2</sub>SeO<sub>4</sub>**  
**Mol. WT : 189.09**

**Product code : 26080**  
**Batch No : MCR-5461**

S. R	Test	Specification	Observation
1	Assay	99.0% w/w min	99.15 % w/w
2	pH (5% Solution)	6.0 - 8.0	7.94
3	Water insoluble matter	0.003% max	0.0019%
4	Chloride (Cl)	0.0005% max	< 0.0005%
5	Nitrogen compound(N)	0.001% max	<0.001%
6	Selenite (SeO <sub>3</sub> )	0.1% max	< 0.1%
7	Sulphate (SO <sub>4</sub> )	0.02% max	< 0.02%

**REMARK:** THE PRODUCT COMPLIES WITH THE ABOVE SPECIFICATIONS

**[Tested By]**

**[Q.C Incharge]**

**HEAD-QUALITY ASSUARANCE**  
**(G.G.Salian)**

**Note:** Computer generated image requires no sign.

**MOLYCHEM Office: 78/80 Babu Genu Road, Souri Bldg., 2<sup>nd</sup> Floor, Mumbai – 400 002 (INDIA)**  
**Tel: +91 22 4066 8111, 2205 7772 . Fax: + 91 22 2203 4442. Email : [info@molychem.net](mailto:info@molychem.net)**  
**Works: Plot No./9, Badlapur M.I.D.C.,OPP.Shobhavat Textile Co.,**  
**Kulgaon, Badlapur (E), Dist.-Thane-421 503**